Corning[®] 3D Clear Tissue Clearing Reagent


Quick Start Guide

CORNING



READ THIS BEFORE WORKING WITH CORNING 3D CLEAR TISSUE CLEARING REAGENT

Corning 3D Clear is designed to simplify tissue clearing and visualization, but there are some best practices that will help optimize the process. Please review this Quick Start Guide which outlines considerations and preparation steps you should follow before you begin to label, clear, and image tissue samples.



Immunolabeling

Optimizing the antibody dilution is a critical step to successful tissue clearing. We recommend taking a few days to optimize your tissue staining, which overall will save you time and effort moving forward.

- 1. Optimizing dilution and duration: Use at least six *in vitro* models to explore dilutions ranging from 1:500 to 1:50 and durations from 30 minutes to 12 hours.
- 2. Image using a confocal microscope and look for even staining in Z sections.
- 3. If antibody concentration is too low, there will be low signalto-noise ratio. If it's too high, the outer layers will "shadow" the inner layers due to the absorbency in the outer layers.





4. The antibody solution should completely cover the tissue of interest.

Permeabilization

		3D Cell Culture
1X	PBS	15 min.
1X	MeOH	15 min.
1X	20% DMSO/MeOH	15 min.
1X	MeOH	15 min.
1X	PBS with 1% T x 100	15 min.



NOTE: Make sure that 3D cultures have settled to the bottom of the microplate well before exchanging solutions.

Labeling

		3D Cell Culture		
1X	Penetration buffer	15 min.		
1X	Blocking buffer	30 min.		
1X	Antibody buffer	30 min.		
Add nuclear stain(optional)				
5X	1X wash buffer	15 min.		
1X	Antibody buffer	30 min.		
5X	1X wash buffer	15 min.		
Add secondary antibody (optional)				
1X	PBS	15 min.		




NOTE: Antibody incubation time will vary from 30 minutes to 12 hours depending on the model.

Clearing

	-			
		3D Cell Culture		
1X	MeOH	15 min.		
1X	Corning 3D Clear Reagent	15 min.		
Included with the Starter Kit				
		orning 3D lear reagent		
	Blocking buffer			
	Antibody buffer			
	10X wash buffer			
	Antibody buffer			



- 1. Once cleared with Corning 3D Clear Tissue Clearing Reagent, the 3D cell culture models should be left in a microplate or transferred to a slide in 3D Clear Tissue Clearing Reagent for imaging.
- 2. 3D cell culture models cleared with Corning 3D Clear Tissue Clearing Reagent can be imaged with a confocal or widefield microscopy. While Corning 3D Clear Tissue Clearing Reagent will allow for a substantial increase in the number of cells characterized with widefield microscopy, optical Z sectioning will not be possible as it is with confocal microscopy.
- 3. The ideal imaging systems for imaging 3D cell culture models are high content confocal imaging systems such as the Opera Phenix[®]/Operetta (PerkinElmer), CellInsight[™] CX7 LZR/LED (Thermo Fisher), IN Cell analyzer 6000/6500 (GE), or the ImageXpress® (Molecular Devices).
- 4. For optimum image quality, use glass, flat-bottom microplates (Corning 4580) or Corning spheroid microplates (Corning 4515, 4520) in a high content confocal imaging system with laser excitation.



For more specific information on claims, visit the Certificates page at www.corning.com/lifesciences.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Not for use in humans. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

> For additional product or technical information, visit www.corning.com/lifesciences or call 800.492.1110. Outside the United States, call +1.978.442.2200 or contact your local Corning sales office.

CORNING

Corning Incorporated

Life Sciences 836 North St. Building 300, Suite 3401 Tewksbury, MA 01876 t 800.492.1110 t978.442.2200 f 978.442.2476 www.corning.com/lifesciences

ASIA/PACIFIC Australia/New Zealand t 61 427286832 **Chinese Mainland** t 86 21 3338 4338 f 86 21 3338 4300

India t 91 124 4604000 f 91 124 4604099 Japan t 81 3-3586 1996 f 81 3-3586 1291 Korea t 82 2-796-9500 f 82 2-796-9300 Singapore

t 65 6572-9740 f 65 6735-2913 Taiwan t 886 2-2716-0338 f 886 2-2516-7500

All Other European Countries t+31 (0) 206 59 60 51 f+31 (0) 206 59 76 73

LATIN AMERICA grupoLA@corning.com Brazil t 55 (11) 3089-7400 Mexico t (52-81) 8158-8400